

Safety Data Sheet

acc. to The REACH etc. (Amendment etc.) (EU Exit)
Regulations 2019, SI2019/758 (as amended)

Champion 'BlueTone' Valve Oil #CHV5M

Version number: 1.0

First version: 2025-03-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier** UFI GHUE-H0VK-700P-G1DH
Trade name Champion 'BlueTone' Valve Oil #CHV5M
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Relevant identified uses Lubricating Oil for Musical Instruments
- 1.3 Details of the supplier of the safety data sheet**
Barnes and Mullins Ltd, Telephone: 0044 (0)1691 652449
Unit 14, Mile Oak Ind Estate, Telefax: 0044 (0)1691 655582
SY10 8GA Oswestry, Shropshire
United Kingdom
e-mail (competent person) Mark.taylor@bandm.co.uk
- 1.4 Emergency telephone number**
As above or nearest toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

| Classification | | | | |
|----------------|-------------------|----------|---------------------------|------------------|
| Section | Hazard class | Category | Hazard class and category | Hazard statement |
| 3.10 | aspiration hazard | 1 | Asp. Tox. 1 | H304 |

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling (acc. to GB CLP)

Signal word danger

Champion 'BlueTone' Valve Oil #CHV5M

Pictograms

GHS08



Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Child-resistant fastening yes

Tactile warning of danger yes

Hazardous ingredients for labelling hydrocarbons, C11-C13, isoalkanes, <2% aromatics

2.3 Other hazards

This material is combustible, but will not ignite readily.
Vapours may form explosive mixtures with air.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Champion 'BlueTone' Valve Oil #CHV5M

Description of the mixture

| Hazardous ingredients | | | | | |
|--|--------------------|------|------------------------------|---|-------|
| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | EC No 920-901-0 | > 75 | Asp. Tox. 1 / H304 EUH066 |  | - |

For full text of H-phrases: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Self-protection of the first aider.

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Call a physician in any case.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

Death following aspiration.

Repeated exposure may cause skin dryness or cracking.

Champion 'BlueTone' Valve Oil #CHV5M

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous decomposition products: Section 10.

Vapours may form explosive mixtures with air.

Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

Champion 'BlueTone' Valve Oil #CHV5M

6.3 Methods and material for containment and cleaning up

Advice on how to clean up a spill

Collect spillage.

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

Specific notes/details

Vapours may form explosive mixtures with air.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Champion 'BlueTone' Valve Oil #CHV5M

Protect against external exposure, such as

heat, humidity

Consideration of other advice

Keep away from food, drink and animal feeding stuffs.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

Keep cool.

Store in a dry place.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. (EN 166).

Hand protection

| Protective gloves | | |
|-------------------|--------------------|--|
| Material | Material thickness | Breakthrough times of the glove material |
| Nitrile | - | - |

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Champion 'BlueTone' Valve Oil #CHV5M

Body protection

Protective clothing against liquid chemicals.
(EN 13832, EN 340, EN 14605).

Respiratory protection

In case of inadequate ventilation wear respiratory protection.
Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).
(EN 136, EN 140, EN 14387, EN 143, EN 149).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.
Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | liquid |
| Colour | Aqua Blue |
| Odour | mild |
| Melting point/freezing point | <0 °C |
| Boiling point or initial boiling point and boiling range | >150 °C |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | 0.6 vol% - 7 vol% |
| Flash point | ≥61 °C |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | not determined |
| Kinematic viscosity | not determined |
| Dynamic viscosity | not determined |
| Solubility(ies) | |
| Water solubility | not miscible in any proportion |
| Partition coefficient n-octanol/water (log value) | not determined |
| Vapour pressure | ~0.05 kPa at 20 °C |
| Density and/or relative density | |

Champion 'BlueTone' Valve Oil #CHV5M

| | |
|--|---------------------------------|
| Density | not determined |
| Relative density / Relative vapour density | >1 (air = 1) 0.8 (water = 1) |

| | |
|---------------------------------|--------------------------|
| Particle characteristics | not relevant (liquid) |
|---------------------------------|--------------------------|

9.2 Other information

| | |
|---|--|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics | there is no additional information |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Protect from moisture.

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Champion 'BlueTone' Valve Oil #CHV5M

Classification acc. to GHS

Acute toxicity

Test data are not available for the complete mixture.

Acute toxicity of components of the mixture

| Name of substance | EC No | Exposure route | End-point | Value | Species | Method | Source | Notes |
|--|-----------|-----------------------|-----------|------------------------------|---------|--------------------|--------|-------------|
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | oral | LD0 | >5,000 mg/kg | rat | OECD Guideline 401 | ECHA | read across |
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | inhalation: dust/mist | LC0 | ≥5,600 mg/m ³ /4h | rat | OECD Guideline 403 | ECHA | read across |
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | dermal | LD0 | >2,200 mg/kg | rabbit | | ECHA | read across |

Skin corrosion/irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Serious eye damage/eye irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory or skin sensitisation

Skin sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Champion 'BlueTone' Valve Oil #CHV5M

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

May be fatal if swallowed and enters airways.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (acute) of components of the mixture

| Name of substance | EC No | Endpoint | Exposure time | Value | Species | Method | Source | Notes |
|--|-----------|----------|---------------|-------------|-------------------------------------|--------------------|--------|-------------|
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | LL50 | 96 h | >1,000 mg/l | rainbow trout (Oncorhynchus mykiss) | OECD Guideline 203 | ECHA | read-across |
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | LL50 | 48 h | >1,000 mg/l | Crustacee: Chaetogammarus marinus | EPA OPPTS 850.1020 | ECHA | read-across |

| Name of substance | EC No | Endpoint | Exposure time | Value | Species | Method | Source | Notes |
|--|-----------|----------|---------------|-------------|---|--------------------|--------|-------------|
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | EL50 | 48 h | >1,000 mg/l | daphnia magna | OECD Guideline 202 | ECHA | read-across |
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | EL50 | 72 h | >1,000 mg/l | algae (pseudokirchneriella subcapitata) | OECD Guideline 201 | ECHA | read-across |

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | EC No | Endpoint | Exposure time | Value | Species | Method | Source | Notes |
|--|-----------|----------|---------------|------------|---|--------------------|--------|-------------|
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | NOELR | 72 h | 1,000 mg/l | algae (pseudokirchneriella subcapitata) | OECD Guideline 201 | ECHA | read-across |

12.2 Persistence and degradability

Biodegradation

No data available.

Degradability of components of the mixture

| Name of substance | EC No | Process | Degradation rate | Time | Method | Source |
|--|-----------|------------------|------------------|------|----------------------|--------|
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | oxygen depletion | 89.8 % | 28 d | OECD Guideline 301 F | ECHA |

Persistence

No data available.

Champion 'BlueTone' Valve Oil #CHV5M

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

Bioaccumulative potential of components of the mixture

| Name of substance | EC No | BCF | Log KOW |
|--|-----------|-----|---------|
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 920-901-0 | - | >4 |

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 3.
Keep away from drains, surface and ground water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled.
Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

Champion 'BlueTone' Valve Oil #CHV5M

SECTION 14: Transport information

| | | |
|------|---|--------------|
| 14.1 | UN number | not assigned |
| 14.2 | UN proper shipping name | - |
| 14.3 | Transport hazard class(es) | - |
| 14.4 | Packing group | - |
| 14.5 | Environmental hazards | - |
| 14.6 | Special precautions for user | - |
| 14.7 | Maritime transport in bulk according to IMO instruments | - |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

Not assigned.

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

Regulation on drug precursors

None of the ingredients are listed.

Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

Regulation concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

None of the ingredients are listed

Champion 'BlueTone' Valve Oil #CHV5M

Restrictions according to GB REACH, Annex 17

| Dangerous substances with restrictions (GB REACH, Annex 17) | | | |
|---|--|--------|---------------------------|
| Name of substance | Name acc. to inventory | CAS No | Conditions of restriction |
| Champion Synthetic Valve Oil CHV3M | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | - | R3 |

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
 5. Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
 - or even sucking the wick of lamps
 - may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Champion 'BlueTone' Valve Oil #CHV5M

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Asp. Tox. | Aspiration hazard |
| BCF | Bioconcentration factor |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EL50 | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms |
| ELINCS | European List of Notified Chemical Substances |
| GB CLP | The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended) |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LL50 | Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| NOELR | No Observed Effect Loading Rate |
| PBT | Persistent, Bioaccumulative and Toxic |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| vPvB | Very Persistent and very Bioaccumulative |

Champion 'BlueTone' Valve Oil #CHV5M

Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).
GB mandatory classification and labelling.
Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).
Regulations concerning the International Carriage of Dangerous Goods by Rail (RID).
International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.
Health hazards.
Environmental hazards.
The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H304 | May be fatal if swallowed and enters airways. |

Responsible for the safety data sheet

C.S.B. GmbH
Dujardinstr. 5
47829 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-compliance.com
Website: www.csb-compliance.com

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.